

危险性描述 (Risk Codes)



| Risk Phrases | 英文解释 | 中文解释 |
|--------------|--|-------------------------|
| R1 | Explosive when dry. | 干燥时有爆炸性； |
| R2 | Risk of explosion by shock, friction, fire or other sources of ignition. | 受冲击、摩擦、着火或其他引燃源有爆炸危险； |
| R3 | Extreme risk of explosion by shock, friction, fire or other sources of ignition. | 受冲击、摩擦、着火或其他引燃源有极高爆炸危险； |
| R4 | Forms very sensitive explosive metallic compounds. | 生成极敏感的爆炸性金属化合物； |
| R5 | Heating may cause an explosion. | 受热可能引起爆炸； |
| R6 | Explosive with or without contact with air. | 与空气或未与空气接触发生爆炸； |
| R7 | May cause fire. | 可能引起火灾； |
| R8 | Contact with combustible material may cause fire. | 与可燃物料接触可能引起火灾； |
| R9 | Explosive when mixed with combustible material. | 与可燃物料混合时发生爆炸； |
| R10 | Flammable. | 易燃的； |
| R11 | Highly flammable. | 高度易燃的； |
| R12 | Extremely flammable. | 极易燃的； |
| R14 | Reacts violently with water. | 与水猛烈反应； |
| R14/15 | Reacts violently with water, liberating highly flammable gases. | 与水猛烈反应，释放出极易燃气体； |
| R15 | Contact with water liberates extremely flammable gases. | 与水接触释放出极易燃气体； |
| R15/29 | Contact with water liberates toxic, highly flammable gas. | 与水接触释放出有毒的，极易燃气体； |
| R16 | Explosive when mixed with oxidizing substances. | 与氧化性物质混合时发生爆炸； |
| R17 | Spontaneously flammable in air. | 在空气中易自燃； |
| R18 | In use, may form flammable/explosive vapour-air mixture. | 使用中可能形成易燃/爆炸性蒸气空气混合物； |
| R19 | May form explosive peroxides. | 可能生成爆炸性过氧化物； |
| R20 | Harmful by inhalation. | 吸入有害； |
| R20/21 | Harmful by inhalation and in contact with skin. | 吸入危 有害的； |
| | | |
| R20/22 | Harmful by inhalation and if swallowed. | 吸入和吞的 |
| R21 | Harmful in contact with skin. | 与皮肤接触是有害的； |
| R21/22 | Harmful in contact with skin and if swallowed. | 与皮肤接触和吞的 |
| R22 | Harmful if swallowed. | 吞的 |
| R23 | 的 by inhalation. | 吸入有害； |
| R23/24 | 的 by inhalation and in contact with skin. | 吸入和与皮肤接触是有毒的； |
| R23/24/25 | 的 by inhalation, in contact with skin and if swallowed. | 吸入、与皮肤接触和吞的 |
| R23/25 | 的 by inhalation and if swallowed. | 吸入和吞的 |
| R24 | 的 in contact with skin. | 与皮肤接触有毒； |
| R24/25 | 的 in contact with skin and if swallowed. | 与皮肤接触和吞的 |
| R25 | 的 if swallowed. | 吞的 |
| R26 | 的 toxic by inhalation. | 吸入有极高毒性； |
| R26/27 | 的 toxic by inhalation and in contact with skin. | 吸入和与皮肤接触有极高毒性； |
| R26/27/28 | 的 toxic by inhalation, in contact with skin and if swallowed. | 吸入、与皮肤接触和吞的 |
| R26/28 | 的 toxic by inhalation and if swallowed. | 吸入和吞的 |
| R27 | 的 toxic in contact with skin. | 与皮肤接触有极高毒性； |
| R27/28 | 的 toxic in contact with skin and if swallowed. | 与皮肤接触和吞的 |
| R28 | 的 toxic if swallowed. | 吞的 |
| R29 | Contact with water liberates toxic gas. | 与水接触释放出有毒气体； |
| R30 | Can become highly flammable in use. | 使用的 |
| R31 | Contact with acids liberates toxic gas. | 与的 |
| R32 | Contact with acids liberates very toxic gas. | 与的 |

| | | |
|--------------|---|-------------------------------|
| R33 | Danger of cumulative effects. | 有累积作用危险； |
| R34 | Causes burns. | 引起灼伤； |
| R35 | Causes severe burns. | 引起严重灼伤； |
| R36 | Irritating to eyes. | 刺激眼睛； |
| R36/37 | Irritating to eyes and respiratory system. | 刺激眼睛和呼吸系统； |
| R36/37/38 | Irritating to eyes, respiratory system and skin. | 刺激眼睛、呼吸系统和皮肤； |
| R36/38 | Irritating to eyes and skin. | 刺激眼睛和皮肤； |
| R37 | Irritating to respiratory system. | 刺激呼吸系统； |
| R37/38 | Irritating to respiratory system and skin. | 刺激呼吸系统和皮肤； |
| R38 | Irritating to skin. | 刺激皮肤； |
| R39 | Danger of very serious irreversible effects. | 有极严重不可逆作用危险； |
| R39/23 | Toxic : danger of very serious irreversible effects through inhalation. | 有毒的：经吸入有极严重不可逆作用危险； |
| R39/23/24 | Toxic : danger of very serious irreversible effects through inhalation and in contact with skin. | 有毒的：经吸入和与皮肤接触有极严重不可逆作用危险； |
| R39/23/24/25 | Toxic : danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed. | 有毒的：经吸入、与皮肤接触和吞食有极严重不可逆作用危险； |
| R39/23/25 | Toxic : danger of very serious irreversible effects through inhalation and if swallowed. | 有毒的：经吸入和吞食有极严重不可逆作用危险； |
| R39/24 | Toxic : danger of very serious irreversible effects in contact with skin. | 有毒的：与皮肤接触有极严重不可逆作用危险； |
| R39/24/25 | Toxic : danger of very serious irreversible effects in contact with skin and if swallowed. | 有毒的：与皮肤接触和吞食有极严重不可逆作用危险； |
| R39/25 | Toxic : danger of very serious irreversible effects if swallowed. | 有毒的：吞食有极严重不可逆作用危险； |
| R39/26 | Very toxic : danger of very serious irreversible effects through inhalation. | 极高毒性：经吸入有极严重不可逆作用危险； |
| R39/26/27 | Very toxic : danger of very serious irreversible effects through inhalation and in contact with skin. | 极高毒性：经吸入和与皮肤接触有极严重不可逆作用危险； |
| R39/26/27/28 | Very toxic : danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed. | 极高毒性：经吸入、与皮肤接触和吞食有极严重不可逆作用危险； |
| R39/26/28 | Very toxic : danger of very serious irreversible effects through inhalation and if swallowed. | 极高毒性：经吸入和吞食有极严重不可逆作用危险； |
| R39/27 | Very toxic : danger of very serious irreversible effects in contact with skin. | 极高毒性：与皮肤接触有极严重不可逆作用危险； |
| R39/27/28 | Very toxic : danger of very serious irreversible effects in contact with skin and if swallowed. | 极高毒性：与皮肤接触和吞食有极严重不可逆作用危险； |
| R39/28 | Very toxic : danger of very serious irreversible effects if swallowed. | 极高毒性：吞食有极严重不可逆作用危险； |
| R40 | Possible risks of irreversible effects. | 可能有不可逆作用的风险； |
| R40/20 | Harmful : possible risk of irreversible effects through inhalation. | 有害的：经吸入可能有不可逆作用的风险； |
| R40/20/21 | Harmful : possible risk of irreversible effects through inhalation and in contact with skin. | 有害的：经吸入和与皮肤接触可能有不可逆作用的风险； |
| R40/20/21/22 | Harmful : possible risk of irreversible effects through inhalation, in contact with skin and if swallowed. | 有害的：经吸入、与皮肤接触和吞食可能有不可逆作用的风险； |
| R40/20/22 | Harmful : possible risk of irreversible effects through inhalation and if swallowed. | 有害的：经吸入和吞食可能有不可逆作用的风险； |
| R40/21 | Harmful : possible risk of irreversible effects in contact with skin. | 有害的：与皮肤接触可能有不可逆作用的风险； |
| R40/21/22 | Harmful : possible risk of irreversible effects in contact with skin and if swallowed. | 有害的：与皮肤接触和吞食可能有不可逆作用的风险； |
| R40/22 | Harmful : possible risk of irreversible effects if swallowed | 有害的：吞食可能有不可逆作用的风险； |
| R41 | Risk of serious damage to eyes. | 对眼睛有严重损害的风险； |
| R42 | May cause sensitization by inhalation. | 吸入可能引起过敏； |
| R42/43 | May cause sensitization by inhalation and skin contact. | 吸入和皮肤接触可能引起过敏； |
| R43 | May cause sensitization by skin contact. | 皮肤接触可能引起过敏； |
| R44 | Risk of explosion if heated under confinement. | 在封闭情况下加热有爆炸危险； |
| R45 | May cause cancer. | 可能致癌； |
| R46 | May cause heritable genetic damage. | 可能造成不可逆的遗传损害 |
| R47 | May cause birth defects. | 可能引起出生缺陷； |
| R48 | Danger of serious damage to health by prolonged exposure. | 长期接触有严重损害健康的危险； |

| | | |
|--------------|--|------------------------------|
| R48/20 | Harmful : danger of serious damage to health by prolonged exposure through inhalation. | 有害的：经吸入长期接触有严重损害健康的危险； |
| R48/20/21 | Harmful : danger of serious damage to health by prolonged exposure through inhalation and in contact with skin. | 有害的：经吸入和与皮肤长期接触有严重损害健康的危险； |
| R48/20/21/22 | Harmful : danger of serious damage to health by prolonged exposure through inh., in contact with skin and if swallowed | 有害的：经吸入、皮肤和吞食长期接触有严重损害健康的危险； |
| R48/20/22 | Harmful : danger of serious damage to health by prolonged exposure through inhalation and if swallowed. | 有害的：经吸入和吞食长期接触有严重损害健康的危险； |
| R48/21 | Harmful : danger of serious damage to health by prolonged exposure in contact with skin. | 有害的：经皮肤长期接触有严重损害健康的危险； |
| R48/21/22 | Harmful : danger of serious damage to health by prolonged exposure in contact with skin and if swallowed. | 有害的：经皮肤和吞食长期接触有严重损害健康的危险； |
| R48/22 | Harmful : danger of serious damage to health by prolonged exposure if swallowed. | 有害的：吞食长期接触有严重损害健康的危险； |
| R48/23 | Toxic : danger of serious damage to health by prolonged exposure through inhalation. | 有毒的：经吸入长期接触有严重损害健康的危险； |
| R48/23/24 | Toxic : danger of serious damage to health by prolonged exposure through inhalation and in contact with skin. | 有毒的：经吸入和与皮肤长期接触有严重损害健康的危险； |
| R48/23/24/25 | Toxic : danger of serious damage to health by prolonged exposure through inh., in contact with skin and if swallowed | 有毒的：经吸入、皮肤和吞食长期接触有严重损害健康的危险； |
| R48/23/25 | Toxic : danger of serious damage to health by prolonged exposure through inhalation and if swallowed. | 有毒的：经吸入和吞食长期接触有严重损害健康的危险； |
| R48/24 | Toxic : danger of serious damage to health by prolonged exposure in contact with skin. | 有毒的：经皮肤长期接触有严重损害健康的危险； |
| R48/24/25 | Toxic : danger of serious damage to health by prolonged exposure in contact with skin and if swallowed. | 有毒的：经皮肤和吞食长期接触有严重损害健康的危险； |
| R48/25 | Toxic : danger of serious damage to health by prolonged exposure if swallowed. | 有毒的：吞食长期接触有严重损害健康的危险； |
| R49 | May cause cancer by inhalation. | 吸入可能致癌； |
| R50 | Very toxic to aquatic organisms. | 对水生生物有极高毒性； |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. | 对水生生物有极高毒性，可能在水生环境中造成长期不利影响； |
| R51 | Toxic to aquatic organisms. | 对水生生物是有毒的； |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. | 对水生生物有毒，可能在水生环境中造成长期不利影响； |
| R52 | Harmful to aquatic organisms. | 对水生生物是有害的； |
| R52/53 | Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. | 对水生生物有害，可能在水生环境中造成长期不利影响； |
| R53 | May cause long-term adverse effects in aquatic environment. | 可能在水生环境中造成长期不利影响； |
| R54 | Toxic to flora. | 对植物群有毒； |
| R55 | Toxic to fauna. | 对动物群有毒； |
| R56 | Toxic to soil organisms. | 对土壤中生物有毒； |
| R57 | Toxic to bees. | 对蜜蜂有毒； |
| R58 | May cause long-term adverse effects in the environment. | 可能在环境中造成长期不利影响； |
| R59 | Dangerous for the ozon layer. | 对臭氧层有危害； |
| R60 | May impair fertility. | 可能损伤生育力； |
| R61 | May cause harm to the unborn child. | 可能对未出生婴儿造成危害； |
| R62 | Possible risk of impaired fertility. | 可能有损伤生育力的危险； |
| R63 | Possible risk of harm to the unborn child. | 可能有损害未出生婴儿的危险； |
| R64 | May cause harm to breastfed babies. | 可能对哺乳婴儿造成危害； |
| R65 | Harmfull may cause lung damage if swallowed | 有害的：吞食可能造成肺部损害； |

安全性指示(Safety Description)

| Safety Phrases | 英文解释 | 中文解释 |
|----------------|--|--|
| S1 | Keep locked up. | 上锁; |
| S1/2 | Keep locked up and out of reach of children. | 上锁保管并避免儿童触及; |
| S2 | Keep out of reach of children. | 避免儿童触及; |
| S3 | Keep in a cool place. | 保存在阴凉处; |
| S3/14 | Keep in a cool place away from ... (incompatible materials to be indicated by the manufacturer). | 保存在阴凉场所, 远离(生产厂家指明的不兼容的物料); |
| S3/7 | Keep container tightly closed in a cool place. | 将容器严格密闭保存在阴凉处; |
| S3/7/9 | Keep container tightly closed in a cool, well-ventilated place. | 将容器严格密闭保存在阴凉、通风良好场所; |
| S3/9 | Keep in a cool, well-ventilated place. | 保存在阴凉、通风良好场所; |
| S3/9/14 | Keep in a cool, well-ventilated place away from ... (incompatible material to be indicated by the manufacturer) | 保存在阴凉、通风良好场所, 远离(生产厂家指明的不兼容的物料); |
| S3/9/14/49 | Keep only in the original container in a cool, well-ventilated place away from ... | 保存在原始容器中, 放在阴凉通风良好场所, 远离(生产厂家指明的不兼容的物料); |
| S3/9/49 | Keep only in the original container in a cool, well-ventilated place. | 保存在原始容器中, 放在阴凉、通风良好场所; |
| S4 | Keep away from living quarters. | 远离生活区; |
| S5 | Keep contents under ... (appropriate liquid to be specified by the manufacturer). | 将该物质保存在生产厂家指定的适当液体中; |
| S6 | Keep under ... (inert gas to be specified by the manufacturer). | 将该物质保存在生产厂家指定的惰性气体中; |
| S7 | Keep container tightly closed. | 保存在严格密闭容器中; |
| S7/47 | Keep container tightly closed and at a temperature not exceeding ... °C. (to be specified by the manufacturer) | 保持容器严格密闭, 温度不超过... °C (由生产厂家指定); |
| S7/8 | Keep container tightly closed and dry. | 保存在严格密闭容器中, 保持干燥; |
| S7/9 | Keep container tightly closed and in a well-ventilated place | 保持容器严格密闭, 置于通风良好的场所; |
| S8 | Keep container dry. | 保持容器干燥; |
| S9 | Keep container in a well-ventilated place. | 保持容器在通风良好的场所; |
| S12 | Do not keep the container sealed. | 不要将容器密封; |
| S13 | Keep away from food, drink and animal feeding stuffs. | 远离食品、饮料和动物饲料保存; |
| S14 | Keep away from ... (incompatible materials to be indicated by the manufacturer). | 远离(生产厂家指定的不相容物质)保存; |
| S15 | Keep away from heat. | 远离热源; |
| S16 | Keep away from sources of ignition - No smoking. | 远离火源, 禁止吸烟; |
| S17 | Keep away from combustible material. | 远离可燃物料; |
| S18 | Handle and open container with care. | 小心搬运和开启容器; |
| S20 | When using do not eat or drink. | 使用时, 不得进食, 饮水; |
| S20/21 | When using do not eat, drink or smoke. | 使用时, 不得进食, 饮水或吸烟; |
| S21 | When using do not smoke. | 使用时, 禁止吸烟; |
| S22 | Do not breathe dust. | 不要吸入粉尘; |
| S23 | Do not breathe gas/fumes/vapour/spray. | 不要吸入气体/烟雾/蒸汽/喷雾; |
| S24 | Avoid contact with skin. | 避免皮肤接触; |
| S24/25 | Avoid contact with skin and eyes. | 避免皮肤和眼睛接触; |
| S25 | Avoid contact with eyes. | 避免眼睛接触; |
| S26 | In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. | 眼睛接触后, 立即用大量水冲洗并征求医生意见; |
| S27 | Take off immediately all contaminated clothing. | 立即脱掉全部污染的衣服; |
| S28 | After contact with skin, wash immediately with plenty of ... (to be specified by the manufacturer). | 皮肤接触后, 立即用大量... (由生产厂家指定) 冲洗; |
| S29 | Do not empty into drains. | 不要排入下水道; |
| S29/56 | Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. | 不要排入下水道, 在危险废物或特殊废物收集点处置该物料及其容器; |
| S30 | Never add water to this product. | 切勿将水加入该产品中; |
| S31 | Keep away from explosive materials. | 远离爆炸物质; |

| | | |
|-----------|--|--------------------------------------|
| S33 | Take precautionary measures against static discharges. | 对静电采取预防措施； |
| S34 | Avoid shock and friction. | 避免冲击和摩擦； |
| S35 | This material and its container must be disposed of in a safe way. | 该物料及其容器必须以安全方式处置； |
| S36 | Wear suitable protective clothing. | 穿戴适当的防护服； |
| S36/37 | Wear suitable protective clothing and gloves. | 穿戴适当的防护服和手套； |
| S36/37/39 | Wear suitable protective clothing, gloves and eye/face protection. | 穿戴适当的防护服、手套和眼睛/面保护； |
| S36/39 | Wear suitable protective clothing and eye/face protection. | 穿戴适当的防护服和眼睛/面保护； |
| S37 | Wear suitable gloves. | 戴适当手套； |
| S37/39 | Wear suitable gloves and eye/face protection. | 穿戴适当的手套和眼睛/面保护； |
| S38 | In case of insufficient ventilation, wear suitable respiratory equipment. | 通风不良时，佩带适当的呼吸器； |
| S39 | Wear eye/face protection. | 戴眼睛/面孔保护装置； |
| S40 | To clean the floor and all objects contaminated by this material, use ... (to be specified by the manufacturer). | 使用... (由生产厂家指定) 清洗地面和被这种物料污染的所有物品； |
| S41 | In case of fire and/or explosion do not breathe fumes. | 着火和/或爆炸时，不要吸入烟雾； |
| S42 | During fumigation/spraying wear suitable respiratory equipment. | 熏蒸/喷洒时，戴适当呼吸器 (由生产厂家指定)； |
| S43 | In case of fire, use ... (if water increases the risk, add - never use water). | 着火时使用 (指明具体的消防器材种类，如果用水增加危险，注明“禁止用水” |
| S44 | If you feel unwell, seek medical advice (show the label where possible). | 如果你感觉不适，征求医生意见 (可能时出示标签)； |
| S45 | In case of accident or if you feel unwell, seek medical advice immediately (show the lable where possible). | 发生事故时或感觉不适时，立即求医 (可能时出示标签)； |
| S46 | If swallowed, seek medical advice immediately and show this container or label. | 食入时，立即求医并出示容器/标签； |
| S47 | Keep at temperature not exceeding ... degr. C (to be specified by the manufacturer). | 保持温度不超过.....° C (由生产厂家指定)； |
| S47/49 | Keep only in the original container at temperature not exceeding ... degr. C (to be specified by the manufacturer) | 保存在原始容器中，温度不超过...° C (由生产厂家指定)； |
| S48 | Keep wetted with ... (appropriate material to be specified by the manufacturer). | 用..... (生产厂家指定的适当物料) 保持湿润； |
| S49 | Keep only in the original container. | 仅保存在原始容器中； |
| S50 | Do not mix with ... (to be specified by the manufacturer). | 不要与..... (由生产厂家指定) 混合； |
| S51 | Use only in well-ventilated areas. | 仅在通风良好的场所使用； |
| S52 | Not recommended for interior use on large surface areas. | 建议不在表面积大的区域内部使用； |
| S53 | Avoid exposure - obtain special instructions before use. | 避免接触，使用前获得特别指示说明； |
| S54 | Obtain the consent of pollution control authorities before discharging to wastewater treatment plants. | 在排放入污水处理厂前获得官方污染控制机构许可； |
| S55 | Treat using the best available techniques before discharge into drains or the aquatic environment. | 在排入污水道和水生环境前进行最佳技术处理； |
| S56 | Dispose of this material and its container at hazardous or special waste collection point. | 在危险废物或特殊废物收集点处置该物料及其容器； |
| S57 | Use appropriate containment to avoid environmental contamination. | 使用适当容器避免环境污染； |
| S58 | To be disposed of as hazardous waste. | 作为危险废物进行处置； |
| S59 | Refer to manufacturer/supplier for information on recovery/recycling. | 参考生产厂家/供货商提供的回收/再生利用信息； |
| S60 | This material and/or its container must be disposed of as hazardous waste. | 该物质及其容器必须作为危险废物处置； |
| S61 | Avoid release to the environment. Refer to special instructions/Safety data sheets. | 避免释放到环境中，参考特别指示/安全收据说明书； |
| S62 | If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. | 吞食后不要催吐：立即求医并出示该容器或标签； |
| S14A | Keep away from acids, reducing agents and polymerisation catalysts. | 远离酸、还原剂、聚合催化剂保存； |
| S14B | Keep away from organic material and metal powders. | 远离有机金属化合物和金属粉末保存； |
| S14C | Keep away from water, acids and alkali. | 远离水、酸、碱保存； |
| S28A | After contact with skin, wash immediately with plenty of water. | 皮肤接触后，立即用大量水冲洗； |
| S28B | After contact with skin, wash immediately with plenty of water and soap. | 皮肤接触后，立即用大量水、肥皂冲洗； |

| | | |
|------|---|---------------------------------|
| S28C | After contact with skin, wash immediately with a sodium borate solution. | 皮肤接触后，立即用大量硼酸钠溶液冲洗； |
| S43A | In case of fire, use dry chemical. (never use water) | 着火时使用干粉消防器材种类灭火（禁止用水）； |
| S43B | In case of fire, use fire-fighting equipment on basis of sodium chloride or sodium bicarbonate (never use water). | 着火时使用氯化钠或碳酸氢钠类型的消防器材种类灭火（禁止用水）； |
| S43C | In case of fire use limestone powder, sodium chloride or dry sand (never use water). | 着火时使用石灰粉末、氯化钠或干沙子灭火（禁止用水）； |
| S43D | In case of fire, use sodium carbonate or dry sand (never use water). | 着火时使用碳酸钠或干沙子灭火（禁止用水）； |
| S43E | In case of fire, use dry sand (never use water). | 着火时使用干沙灭火（禁止用水）； |
| S43F | Use water in case of Fire | 用水灭火； |
| S47A | Keep at temperature not exceeding 65 degr. C. | 保持温度不超过 65° C； |
| S50A | Do not mix with acids. | 不要与酸混合； |
| S5A | Keep contents under oil. | 将该物质保持在油中； |
| S5B | Keep contents under liquids which are oxygen-free, e. g. kerosene, toluene, etc. | 将该物质保持在无氧液体中，如煤油、甲苯等； |
| S6A | Keep under nitrogen. | 将该物质保持在氮气中； |

图标和危险代码 (PICTOGRAMS AND HAZARD CODES)



Explosive



Oxidizing



Extremely Flammable or Highly Flammable



Very Toxic or Toxic



Harmful or Irritant



Corrosive



Dangerous for the environment



B

Biohazard



F

Highly Flammable

F+

Extremely Flammable



O

Oxidizing



C

Corrosive



Xn

Harmful

Xi

Irritant



R

Radioactive



E

Explosive



N

Dangerous for the environment



T

Toxic

T+

Very Toxic